







Schedule Online 866.717.2551 SolisMammo.com/Schedule 866.366.5798

,			
PATIENT INFORMATION			
Patient Name	DOB		Patient Phone Number
PHYSICIAN INFORMATION			
Physician Name (printed)	Physic	cian NPI	Date
Physician Phone	Physician Fax		Practice Name
A DIAGNOSIS CODE MUST BE PROVIDE PLEASE PROVIDE THE NECESSARY COD			
BREAST EXAMINATION REQUEST		REASON FOR P	ROCEDURE
 Screening Mammogram with addition Ultrasound if necessary for inconclusive Screening Mammogram Diagnostic Mammogram Diagnostic Mammogram with Ultrasou Breast Ultrasound Breast Cyst Aspiration/Fine Needle Asp Breast Biopsy (Ultrasound Guided/Stereotactic) 	e Mammogram und if necessary	used for patient	2.2 - inconclusive mammogram will be recall exams r each indicated exam
BONE DENSITOMETRY		REASON FOR PI	ROCEDURE
O DEXA Scan O DEXA VFA Pathological Traumatic		ICD-10 CODE	
SELECT QUADRANT AND LATERALITY F	OR DIAGNOSTIC E	XAM	
Indicate Area of Concern	Right	Left	
PHYSICIAN SIGNATURE	Stamped signatures are	e not allowed	
Physician Signature	Date		Time







PATIENT INSTRUCTIONS

Please arrive 15 minutes before your scheduled appointment time to prepare for your exam. Bring this form, your insurance cards and your driver's license. Please do not bring unattended children to your appointment.

MAMMOGRAM INSTRUCTIONS

Since you will be gowning, we recommend that you wear a blouse with slacks or skirt. Please avoid the use of powder and deodorant the day of your exam. Please do not schedule your appointment one week before or during your menstrual period. To avoid a delay in interpretation, please bring any prior mammograms to your appointment.

BONE DENSITOMETRY INSTRUCTIONS

Please wear loose fitting clothing with no metal zippers or belt buckles below the waist. Please do not take any calcium supplements the day before and the day of your exam. Please note that the weight requirement for this procedure cannot exceed 300 pounds.





Solis Mammography Central Park 10405 Martin Luther King Blvd., Suite 130, Denver, CO 80238 3D screening and bone densitometry only